

Safety Data Sheet

Prepared in accordance with Appendix II of the REACH Regulation EC 1907/2006, Regulation (EC) 1272/2008 (CLP) and Regulation

1. Identification of the substance/ preparation and of the company/undertaking
(EC) 453/2010.

1.1. Product identifier:

Product name: 2-Chlorobutane

1.2 Relevant identified uses of the substance or mixture and uses advised against:

A transported isolated intermediate used only in strictly controlled conditions. Restrictions on use: Do NOT use it in an application which may contaminate food or do harm to human health.

1.3. Details of the supplier of the safety data sheet:

Dakings Chemical (Shandong) Co., Ltd
Address: Moscow Road, Qingdao Qianwan Bonded Port Area, Shandong Pilot Free Trade Zone, China
TEL: +86 17685872921
FAX: +86 0533-6292708
Email: sales@dakingschem.com

1.4 Emergency telephone number: + 86-0533-6292708


2. Hazards identification

2.1. Classification of the substance or mixture:

Main hazards: Flammable liquids -2

2.2. Label elements

Hazard Pictograms:



Signal Word: Danger

Hazard Statements:

H225: Highly flammable liquid and vapour.

Precautionary Statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof (electrical/ventilating/lighting) equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response Precautionary Statements:

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower).

P370+P378: In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Storage precautionary statements:

P403+P235: Store in a well-ventilated place. Keep cool.

Disposal precautionary statements:

P501: Dispose of contents/container according to relevant local and national regulations. **2.3 Other hazards:** not found.

Wosition/information on ingredients

Product description: substance (\); preparation/mixture ()

Ingredients/Components	CAS No.	EC No.	EC No. 1272/2008 Classification		67/548/EC Classification	% by weight
			Hazard Class and Category Code (s)	Hazard statement Code (s)		
2-Chlorobutane	78-86-4	201-151-7	Not available	Not available	Not available	>99.5%

• First aid measures

4.1. Description of first aid measures:

In the event of splashes or contact with eyes: Remove contact lenses if present and easy to do continue rinsing , if irritation persists, seek medical care. 1^.

In the event of splashes or contact with skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation or a rash occurs: Get medical advice/attention, wash contaminated clothing before reuse.

In the event of exposure by inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

In the event of swallowing: Rinse mouth. Do not induce vomiting without professional instruction. Get medical attention immediately if discomfort occurs.

4.2. Most important symptoms/effects, acute and delayed: Acute effect: not found. Delayed effect: not found.

4.3. Indication of any immediate medical attention and special treatment needed: Treat according to symptoms.

[5 • Fire-fighting measures]

5.1. Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. High volume water jet is highly restricted.

Unsuitable Extinguishing Media: Discharging cylinder shape water from fire hose may lead to spread fire to the surroundings.

5.2. Special hazards arising from the substance or mixture: Can be released in case of fire: Carbon monoxide, carbon dioxide, Hydrogen chloride (HCl).

5.3. Advice for firefighters:

For initial fire, use dry powder, carbon dioxide, etc.

For large fire, it is effective to use fire foam, etc. to shut off air supply.

Fire-fighters must wear self-contained breathing apparatus and full protective equipment (e.g. fire-retardant clothing). Deny unnecessary entry to the place around the fire.

Remove containers from fire area if it can be done without risk.

Cool surrounding facilities, etc. with water spray.

Extinguish fire from upwind, and the fire extinguishing method should be appropriate to the situation in the surroundings.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures: Use proper personal protective equipment as indicated in Section 8.

6.2. Environmental Precautions: Keep cleaning run-offs out of municipal sewers and open bodies of water. Comply with local and national laws and regulations.

6.3. Methods and materials for containment and cleaning up:

Small Spill:

Mop up or absorb with an inert dry material (e.g. sand, dry lime) and place in an appropriately labeled waste disposal container.

Large Spill:

Isolate contaminated area and set up a warning board. The persons handling emergency are recommended wearing protective clothing. Do NOT touch spilled material.

Build up dike or dig pit for collection. Collect the spilled material with appropriate tools into an appropriate container and transport the waste to the disposal place.

6.4. Reference to other sections:

For more information, please refer to Section 8 and Section 13.

7. Handling and storage

7.1. Precautions for safe handling:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any in compatibilities: Store it in a well-ventilated, cool and dry store room. Avoid long-time direct contact of sunlight. The storeroom should be equipped with proper facilities for accidental fire.

7.3. Specific end use(s): Preliminary/intermediate product for organic syntheses.

7.4. Packing material: ISO Tank.

	protection		
8.1. Control parameters:			
Ingredients	COSHH Workplace exposure limits	OSHA PEL-TWA	ACGIH TLV-TWA

8. Exposure controls/personal

2-Chlorobutane (CAS: 78-86-4)

Not available

Not available

Not available

8.2. Exposure controls:

Handle the product only under conditions where sufficient ventilation is provided.

Install eye washer and safety shower near handling and storage area.

8.2.1. Individual protection measures:

.Protection of Hands:

Recommend wearing protective gloves for industrial hygienic purpose.



.Protection of Eyes:



Wear safety glasses when liquid may splash.

.Respiratory Protection:

Use an approved respirator if exposure limits are exceeded or if irritation or other symptoms occur, o

.Protection of Body:

Recommend wearing general working clothing.



.General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Avoid contact with eyes and broken skin.

7831

▪ Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Information	
Form	Liquid
Colour	Colorless
Odour	Sweetish
Ph value	Not applicable
Boiling range	68°C-70°C

Melting point/Melting range

-132°C

Flash point	-15°C (closed up)
Flammable/Explosive Limits-Lower Vol %	2%
Flammable/Explosive Limits-Upper Vol %	8.8%
Relative density	No data available
Relative vapour density	No data available
Vapour pressure	No data available
Solubility	lg/1 (water 20°C)
n-octanol/Water partition coefficient	No data available
Self-igniting temperature	460 degree - lit
Decomposition temperature	No data available
Odour threshold value	No data available
Evaporation rate	No data available
Flammability (solid, gas, etc.)	This product is classified as flammable liquid.
Viscosity	0.873g/cm ³ at 25°C

9.2. **Other information:** Not available.

10. Stability and reactivity]

10.1. **Reactivity:** Stable.

10.2. **Chemical stability:** This product is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3. **Possibility of hazardous reactions:** No information available.

10.4. **Conditions to avoid:** Ignition sources, excess heat, confined spaces.

10.5. **Incompatible materials:** Strong oxidizing agents.

10.6. **Hazardous decomposition products:** Can be released in case of fire: Carbon monoxide, carbon dioxide. Hydrogen chloride (HCl).

11.1. **Information on toxicological effects:** The toxicity data of this product has not been determined by testing or research, but to our best knowledge and reference, this product is not toxic. The toxicity data shown below is for reference only.

Ingredients	CAS number	LD 50/ LC 50 (Median lethal dose)
2-Chlorobutane	78-86-4	Acute toxicity (Oral) LD50: 17,400mg/kg (rat) Data source: ECHA Acute toxicity (Dermal) LDso>2,000mg/kg (rabbit) Data source: ECHA Acute toxicity (Inhalation, Gases) LC5o>6.76mg/L (rat) Data source: ECHA

.Serious eye damage/eye irritation: No classification for this product. **.Skin corrosion/irritation:** No classification for this product. **.Respiratory /Skin sensitizer:** No classification for this product. **.Germ cell mutagenicity:** No classification for this product. **.Carcinogenicity:** No classification for this product.

.Reproductive Toxicity: No classification for this product. **.STOT-single exposure:** No classification for this product. **.STOT-repeated exposure:** No classification for this product. **.Aspiration hazard:** No classification for this product. **.Effects on or via lactation:** No classification for this product.

12. Ecological information

12.1. Toxicity: No data available for the whole product. The data shown below is of each ingredient.

2-Chlorobutane (CAS: 78-86-4):

48h-LC₅₀:316.22mg/L, fish

Data source: ECHA

12.2. Persistence and Degradability: No data available for the whole product.

12.3. Bioaccumulative Potential: No information available.

12.4. Mobility in Soil: As it is liquid, it can move in soil.

12.5. Results of PBT and vPvB Assessment: PBT/vPvB assessment not available as chemical safety assessment not required /not conducted

12.6. Other adverse effects: Not found.

13. Disposal considerations

13.1. Waste treatment methods:

Minimize the hazard of waste by the methods of neutralization and stabilization.

Any disposal practice must be in compliance with country, local, state, and federal laws and regulations.

After contents are completely removed, dispose of its container at hazardous or special waste collection point.

Paste a label on the container indicating the possible hazards of the waste.

14. Transport Information

ADR and RID / Air-Transportation- IATA/ICAO/Sea-Transportation-IMO/IMDG.:

.Proper Shipping Name: Chlorobutanes

.Hazard Class: 3

.UN Code: 1127



.Packing Group: II **.Assigned Pictogram:**

.Marine Pollutant (Yes/No): No **.EMS NO.:** F-E, S-D

.Special precautions for user:

Check whether the package is completed or sealed before transporting; make sure no damage of packages and prevent goods

from falling down during transporting;the transport vehicle should be equipped with facilities for fire-fighting and accidental release handling;do NOT transport this product together with incompatible substances;stay away from fire and areas of high

temperature during stopovers

.Transport in bulk according to Annex II of MARPOL 73/78 and IBC code:Not applicable

15.Regulatory information

15.1.Safety,health and environmental regulations/legislation specific for the substance or mixture .Candidate List of Substances of very high concern (SVHC)according to ECHA:Not listed.

.REACH Regulation Annex XVII Regulation List:Not listed

.REACH Regulation Annex XIV Authorization List:Not listed

Germany-WGK:Not classified.

15.2.Chemical Safety Assessment:A Chemical Safety Assessment has not been carried out

Other relevant regulations:

.Sara:

.Section 355(extremely hazardous substances):Not listed

.SARA313:Not listed

.Toxic Substances Control Act (TSCA)

2-Chlorobutane(CAS:78-86-4)is listed in the TSCA inventory list

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the ingredients are listed as Priority Pollutants under the CWA

.Carcinogenicity categories:Not listed by EPA,NTP,ACGIH and IARC.

16.Other information

DISCLAIMER:Employers should use this information only as a supplement to other information gathered by them and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees.This information is furnished without warranty,and any use of the product not in conformance with this Safety Data Sheet,or in combination with any other product or process,is the responsibility of the user

References:

EC No.1907/2006(REACH)

EC No.1272/2008(CLP)

EC No.453/2010

Full description of some acronyms:

CAS-Chemical Abstracts Service

EINECS-European Inventory of Existing Commercial Chemical Substances

IMO-International Maritime Organization

IMDG-International Maritime Dangerous Goods

**IATA-International Air Transport Association ICAO-International Civil Aviation Organization TSCA-Toxic
Substance Control Act
OSHA-Occupational Safety and Health Administration
ACGIH-American Conference of Governmental Industrial Hygienists DFGOT-Occupational Toxicants Critical
Data Evaluation for MAK Values RTECS- Registry of Toxic Effects of Chemical Substances NIOSH CD-ROM
ECHA-European Chemicals Agency**

The Issuing date: March 4, 2022

SDS Version: 1

*****The End*****